


DRFB Series - Hose reel w/ safety retraction - PU/PVC hose



Description						
Reference	ID (in)	Length (ft)	Coupler	Fixed inlet (in)	Flow rate (CFM)	Weight (lb)
DRFB 0812IS	5/16"	40'	ISI 06	5/16"	18	13.22
DRFB 0815IS	5/16"	50'	ISI 06	5/16"	12	15.43
DRFB 1010IS	3/8"	33'	ISI 06	3/8"	29	12.57
DRFB 1012IS	3/8"	40'	ISI 06	3/8"	28	14.99
DRFB 0812US	5/16"	40'	USI 06	5/16"	18	13.22
DRFB 0815US	5/16"	50'	USI 06	5/16"	12	15.43
DRFB 1010US	3/8"	33'	USI 06	3/8"	29	12.57

Reference	ID (in)	Length (ft)	Coupler	Fixed inlet (in)	Flow rate (CFM)	Weight (lb)
DRFB 1012US	3/8"	40'	USI 06	3/8"	28	14.99
DRFB 0812ES	5/16"	40'	ESI 07	5/16"	18	13.22
DRFB 0815ES	5/16"	50'	ESI 07	5/16"	12	15.43
DRFB 1010ES	3/8"	33'	ESI 07	3/8"	32	12.57
DRFB 1012ES	3/8"	40'	ESI 07	3/8"	28	14.99
DRFB 0812AS	5/16"	40'	ASI 06	5/16"	18	13.22
DRFB 0815AS	5/16"	50'	ASI 06	5/16"	12	15.43
DRFB 1010AS	3/8"	33'	ASI 06	3/8"	28	12.57
DRFB 1012AS	3/8"	40'	ASI 06	3/8"	28	14.99
DRFB 0812CS	5/16"	40'	CSI 06	5/16"	18	13.22
DRFB 0815CS	5/16"	50'	CSI 06	5/16"	12	15.43
DRFB 1010CS	3/8"	33'	CSI 06	3/8"	29	12.57
DRFB 1012CS	3/8"	40'	CSI 06	3/8"	28	15



Dimensions

Reference	A mm	B mm
DRFB 0812IS	340	302
DRFB 0815IS	370	337
DRFB 1010IS	340	302
DRFB 1012IS	370	337
DRFB 0812US	340	302
DRFB 0815US	370	337
DRFB 1010US	340	302
DRFB 1012US	370	337
DRFB 0812ES	340	302
DRFB 0815ES	370	337
DRFB 1010ES	340	302

Reference	A mm	B mm
DRFB 1012ES	370	337
DRFB 0812AS	340	302
DRFB 0815AS	370	337
DRFB 1010AS	340	302
DRFB 1012AS	370	337
DRFB 0812CS	340	302
DRFB 0815CS	370	337
DRFB 1010CS	340	302
DRFB 1012CS	370	337