


OSHA Metal Nozzle Blow Gun

<u>NPT female thread</u> 1/4" FNPT	<u>Air consumption (at 87 psi)</u> 6.2 cfm	<u>Noise level (dBA)</u> 82	<u>Blowing force (at 87 psi (Ozf))</u> 7.2
<u>Dynamic pressure (at 87 psi at 4")(psi)</u> 36	<u>Length (tube (in))</u> Bent 13"	<u>Max operating pressure</u> 145 psi	<u>Construction</u> Polyamide composite body
<u>Highlight</u> Adjust gradually blowing			

Description						
Reference	NPT female thread	Air consumption (at 87 psi)	Noise level (dBA)	Blowing force (at 87 psi (Ozf))	Dynamic pressure (at 87 psi at 4")(psi)	Length (tube (in))
27202 MB13OSHA	1/4" FNPT	6.2 cfm	82	7.2	36	Bent 13"
27202 MB20OSHA	1/4" FNPT	5.5 cfm	81	6.6	36	Bent 20"
27202 MB40OSHA	1/4" FNPT	6.3 cfm	83	7.7	35	Bent 40"



Dimensions		
Reference	A inch	B inch
27202 MB13OSHA	1.0170603674541	1.1482939632546
27202 MB20OSHA	1.7224409448819	1.1384514435696
27202 MB40OSHA	3.0511811023622	2.2965879265092