


PPS1 9CM - 90° Aluminum male thread elbow fitting for pipe



<u>For pipe OD (in)</u> 1/2"	<u>NPT male thread</u> 3/8" MNPT	<u>Technology</u> PPS Grip Concept	<u>Operating pressure</u> 0 to 232 psi
<u>Vacuum capability</u> -29 inHg (vacuum 98%)	<u>Temperature</u> -4°F to +176°F	<u>Construction</u> Pipe and fittings: aluminum	<u>Highlight</u> Scalable system
<u>Meets standards</u> ASME B31.3 REACH			

Description		
Reference	For pipe OD (in)	NPT male thread
PPS1 9CM16252	1/2"	3/8" MNPT
PPS1 9CM16253	1/2"	1/2" MNPT
PPS1 9CM20253	3/4"	1/2" MNPT
PPS1 9CM25253	1"	1/2" MNPT
PPS1 9CM25254	1"	3/4" MNPT

Reference	For pipe OD (in)	NPT male thread
PPS1 9CM32255	1 1/4"	1" MNPT
PPS1 9CM40256	1 1/2"	1 1/4" MNPT
PPS1 9CM40257	1 1/2"	1 1/2" MNPT



Dimensions				
Reference	A inch	B inch	C inch	D inch
PPS1 9CM16252	1.26	2.362	1.969	1.024
PPS1 9CM16253	1.26	2.362	1.024	0.085301837270341
PPS1 9CM20253	1.496	2.835	2.402	1.26
PPS1 9CM25253	1.811	3.425	2.795	1.496
PPS1 9CM25254	1.811	3.425	2.835	1.496
PPS1 9CM32255	2.244	4.055	3.465	1.811
PPS1 9CM40256	2.677	4.843	4.173	2.244
PPS1 9CM40257	2.677	4.843	4.173	2.244