


PPS1 CR - Aluminum Cross Connection



Outlet NPT female thread -	For tube OD (2) 50	Technology PPS Grip Concept	Operating pressure 0 to 16 bar
Vacuum capability -0.98 bar (vacuum 98%)	Temperature -20°C to +80°C	Construction Pipe and fittings: alu.	Highlight Scalable system
Meets standards PED REACH			

Description		
Reference	Outlet NPT female thread	For tube OD
PPS1 CR203	1/2" NPT	(1) 1/2"
PPS1 CR204	3/4"	(1) 3"
PPS1 CR205	1" NPT	(1) 1"
PPS1 CR207	1 1/2" NPT	(1) 1 1/2"

Reference	Outlet NPT female thread	For tube OD
PPS1 CR50	-	(2) 50
PPS1 CR63	-	(2) 63
PPS1 CR80	-	(2) 80
PPS1 CR100	-	(2) 100
PPS1 CR160	-	(3) 6"



Dimensions			
Reference	A inch	B inch	C inch
PPS1 CR203			
PPS1 CR204			
PPS1 CR205			
PPS1 CR207			
PPS1 CR50	8.465	8.465	3.543
PPS1 CR63	9.445	9.445	4.331
PPS1 CR80	10.236	10.236	4.921
PPS1 CR100	12.205	12.205	6.063
PPS1 CR160			