


Open Hose Reel - Rubber hose - High pressure - Grease



<u>ID (in)</u> 1/4"	<u>Length (ft)</u> 33'	<u>Outlet BSPP male thread</u> 1/4" MBSP	<u>Swivel inlet BSPP male thread</u> 1/4"
<u>Weight (lb)</u> 40.79	<u>Technology</u> Pipe locked with ratchet stop	<u>Construction</u> Epoxy-coated steel case	<u>Equipped with</u> Fixed bracket

Description					
Reference	ID (in)	Length (ft)	Outlet BSPP male thread	Swivel inlet BSPP male thread	Weight (lb)
DMO 0610GR	1/4"	33'	1/4" MBSP	1/4"	40.79

Reference	ID (in)	Length (ft)	Outlet BSPP male thread	Swivel inlet BSPP male thread	Weight (lb)
DMO 0615GR	1/4"	50'	1/4" MBSP	1/4"	45.20
DGO 0620GR	1/4"	65'	1/4" MBSP	1/4"	59.53



Dimensions

Reference	A inch	B inch	C inch
DMO 0610GR	1.5912073490814	1.5583989501312	0.77755905511811
DMO 0615GR	1.5912073490814	1.5583989501312	0.77755905511811
DGO 0620GR	1.5912073490814	1.5583989501312	0.77755905511811