


Male flow regulator with adjusting screw (control in) - Metric tube
to male BSPT - RPV IR



<u>BSPT male thread</u> 1/8" MBSP	<u>For tube OD (mm)</u> 4	<u>Operating pressure</u> 0 to 145 psi	<u>Temperature</u> +32°F to +140°F
<u>Construction</u> Polymer and nickel-plated brass			

Description		
Reference	BSPT male thread	For tube OD (mm)
RPV IR0400	1/8" MBSP	4
RPV IR0401	1/4" MBSP	4
RPV IR0600	1/8" MBSP	6
RPV IR0601	1/4" MBSP	6
RPV IR0602	3/8" MBSP	6
RPV IR0603	1/2" MBSP	6

Reference	BSPT male thread	For tube OD (mm)
RPV IR0800	1/8" MBSP	8
RPV IR0801	1/4" MBSP	8
RPV IR0802	3/8" MBSP	8
RPV IR0803	1/2" MBSP	8
RPV IR1000	1/8" MBSP	10
RPV IR1001	1/4" MBSP	10
RPV IR1002	3/8" MBSP	10
RPV IR1003	1/2" MBSP	10
RPV IR1201	1/4" MBSP	12
RPV IR1202	3/8" MBSP	12
RPV IR1203	1/2" MBSP	12



Dimensions

Reference	A inch	B inch	D inch	E inch
RPV IR0400	1.299			
RPV IR0401	1.614	0.945	1.26	
RPV IR0600	1.299	0.906		
RPV IR0601	1.614	1.26		
RPV IR0602	2.047	1.614	0.866	
RPV IR0603	2.244	1.732		
RPV IR0800	1.299			
RPV IR0801	1.614	1.26		
RPV IR0802	2.047	1.614	0.866	
RPV IR0803	2.244	1.732		
RPV IR1000	1.299			
RPV IR1001	1.614	1.22	1.26	
RPV IR1002	2.047	1.22	1.614	0.866
RPV IR1003	2.244	1.339	1.732	
RPV IR1201	1.614	1.26		
RPV IR1202	2.047	1.339	1.614	0.866

Reference	A inch	B inch	D inch	E inch
RPV IR1203	2.244	1.732		