

Female banjo - Fractional inch tube to female NPT - RPB FR



NPT female thread
1/8" FNPT

For tube OD (in)
1/8


Operating pressure
0 to 145 psi

Temperature
+32°F to +140°F

Construction
Polymer and nickel-plated
brass

Description		
Reference	NPT female thread	For tube OD (in)
RPB FR1820	1/8" FNPT	1/8
RPB FR5320	1/8" FNPT	5/32
RPB FR3120	1/8" FNPT	3/16
RPB FR3121	1/4" FNPT	3/16
RPB FR4120	1/8" FNPT	1/4
RPB FR4121	1/4" FNPT	1/4
RPB FR5120	1/8" FNPT	5/16
RPB FR5121	1/4" FNPT	5/16
RPB FR5122	3/8" FNPT	5/16

Reference	NPT female thread	For tube OD (in)
RPB FR3821	1/4" FNPT	3/8
RPB FR3822	3/8" FNPT	3/8
RPB FR2122	3/8" FNPT	1/2
RPB FR2123	1/2" FNPT	1/2



Dimensions

Reference	A inch	B inch	C inch	D inch	E inch
RPB FR1820	0.029527559055118	0.026246719160105	147.5	0.04757217847769	0.032808398950131
RPB FR5320	0.029527559055118	0.026246719160105	147.5	0.04757217847769	0.032808398950131
RPB FR3120	0.029527559055118	0.026246719160105	147.5	0.04757217847769	0.041994750656168
RPB FR3121	0.039370078740158	0.036089238845144	140.00984251969	0.059711286089239	0.041994750656168
RPB FR4120	0.029527559055118	0.026246719160105	139.80971128609	0.04757217847769	0.041994750656168
RPB FR4121	0.039370078740158	0.036089238845144	140.00984251969	0.059711286089239	0.041994750656168
RPB FR5120	0.029527559055118	0.026246719160105	140.00984251969	0.04757217847769	0.045275590551181
RPB FR5121	0.039370078740158	0.036089238845144	140.00984251969	0.059711286089239	0.045275590551181
RPB FR5122	0.042650918635171	0.039370078740158	148.11351706037	0.072178477690289	0.045275590551181
RPB FR3821	0.039370078740158	0.036089238845144	148.11351706037	0.059711286089239	0.05511811023622
RPB FR3822	0.042650918635171	0.039370078740158	148.11351706037	0.072178477690289	0.05511811023622
RPB FR2122	0.042650918635171	0.039370078740158	148.11351706037	0.072178477690289	0.067257217847769
RPB FR2123	0.05249343832021	0.049212598425197	0.0032808398950131	0.08989501312336	0.067257217847769