

Y male - Fractional inch tube to male NPT - RPY MR



NPT male thread

1/8" MNPT

For tube OD (in)

1/8

Operating pressure

0 to 145 psi

Temperature

+32°F to +140°F


Construction

Polymer and nickel-plated
brass

Description

Reference	NPT male thread	For tube OD (in)
RPY MR1820	1/8" MNPT	1/8
RPY MR5320	1/8" MNPT	5/32
RPY MR5321	1/4" MNPT	5/32
RPY MR3120	1/8" MNPT	3/16
RPY MR3121	1/4" MNPT	3/16
RPY MR3122	3/8" MNPT	3/16
RPY MR4120	1/8" MNPT	1/4
RPY MR4121	1/4" MNPT	1/4
RPY MR4122	3/8" MNPT	1/4

Reference	NPT male thread	For tube OD (in)
RPY MR5120	1/8" MNPT	5/16
RPY MR5121	1/4" MNPT	5/16
RPY MR5122	3/8" MNPT	5/16
RPY MR3820	1/8" MNPT	3/8
RPY MR3821	1/4" MNPT	3/8
RPY MR3822	3/8" MNPT	3/8
RPY MR3823	1/2" MNPT	3/8
RPY MR2121	1/4" MNPT	1/2
RPY MR2122	3/8" MNPT	1/2
RPY MR2123	1/2" MNPT	1/2



Dimensions

Reference	A inch	B inch	C inch	D inch	E inch
RPY MR1820	0.13779527559055	0.026246719160105	139.6062992126	0.034448818897638	0.032808398950131
RPY MR5320	0.13779527559055	0.026246719160105	139.6062992126	0.034448818897638	0.032808398950131
RPY MR5321	0.14763779527559	0.036089238845144	139.80971128609	0.034448818897638	0.032808398950131
RPY MR3120	0.14763779527559	0.026246719160105	147.5	0.042650918635171	0.041994750656168
RPY MR3121	0.15583989501312	0.036089238845144	139.80971128609	0.042650918635171	0.041994750656168
RPY MR3122	0.16076115485564	0.039370078740158	140.00984251969	0.042650918635171	0.041994750656168
RPY MR4120	0.14763779527559	0.026246719160105	147.5	0.042650918635171	0.041994750656168
RPY MR4121	0.15583989501312	0.036089238845144	139.80971128609	0.042650918635171	0.041994750656168
RPY MR4122	0.16076115485564	0.039370078740158	140.00984251969	0.042650918635171	0.041994750656168
RPY MR5120	0.14698162729659	0.026246719160105	139.80971128609	0.04757217847769	0.045275590551181
RPY MR5121	0.15682414698163	0.036089238845144	139.80971128609	0.04757217847769	0.045275590551181
RPY MR5122	0.16174540682415	0.039370078740158	140.00984251969	0.04757217847769	0.045275590551181
RPY MR3820	0.1994750656168	0.026246719160105	140.00984251969	0.059055118110236	0.05511811023622
RPY MR3821	0.19783464566929	0.036089238845144	140.00984251969	0.059055118110236	0.05511811023622
RPY MR3822	0.2011154855643	0.039370078740158	140.00984251969	0.059055118110236	0.05511811023622
RPY MR3823	0.20931758530184	0.049212598425197	148.11351706037	0.059055118110236	0.05511811023622
RPY MR2121	0.20570866141732	0.036089238845144	148.11351706037	0.068897637795276	0.067257217847769

Reference	A inch	B inch	C inch	D inch	E inch
RPY MR2122	0.20898950131234	0.039370078740158	148.11351706037	0.068897637795276	0.067257217847769
RPY MR2123	0.22047244094488	0.049212598425197	148.11351706037	0.068897637795276	0.067257217847769