

Treated steel double ear o clips



Ø min./max. (mm)

11 - 13

Band width (mm)

7

Packaging

100


Highlight

Tamperproof clamp

Description

| Reference | Ø min./max. (mm) | Band width (mm) | Packaging | Ø min./max. (in) | Band width (in) |
|-------------|------------------|-----------------|-----------|------------------|-----------------|
| 0709 | 07 - 09 | 6 | 100 | 0.71 - 0.83 | 0.276 |
| 0911 | 09 - 11 | 7 | 100 | 0.79 - 0.91 | 0.315 |
| 1113 | 11 - 13 | 7 | 100 | 0.87 - 0.98 | 0.354 |
| 1315 | 13 - 15 | 7 | 100 | 0.91 - 1.06 | 0.354 |
| 1517 | 14 - 17 | 7 | 100 | 0.98 - 1.10 | 0.354 |
| 1518 | 15 - 18 | 7 | 100 | 1.06 - 1.22 | 0.354 |
| 1720 | 17 - 20 | 7 | 100 | 1.22 - 1.34 | 0.354 |

| Reference | Ø min./max. (mm) | Band width (mm) | Packaging | Ø min./max. (in) | Band width(in) |
|-----------|---------------------|--------------------|-----------|---------------------|----------------|
| 1821 | 34 - 37 | 9 | 100 | 1.46 - 1.57 | 0.394 |
| 2023 | | | | 1.57 - 1.69 | 0.394 |
| 2225 | | | | 1.69 - 1.81 | 0.394 |
| 2327 | | | | | |
| 2528 | | | | | |
| 2731 | | | | | |
| 3134 | | | | | |
| 3437 | | | | | |
| 3740 | | | | | |
| 4043 | | | | | |
| 4346 | | | | | |



Dimensions

| Reference | A inch | B inch |
|-------------|-------------------|-------------------|
| 0709 | 9.3 | 3 |
| 0911 | 11.3 | 3 |
| 1113 | 13.3 | 3.5 |
| 1315 | 15.3 | 3.5 |
| 1517 | 17.5 | 4.5 |
| 1518 | 18.5 | 4.5 |
| 1720 | 20.5 | 5.5 |
| 1821 | 0.070538057742782 | 0.018044619422572 |
| 2023 | 0.077099737532808 | 0.018044619422572 |
| 2225 | 0.083661417322835 | 0.019685039370079 |
| 2327 | 0.090223097112861 | 0.021325459317585 |
| 2528 | 0.093503937007874 | 0.022965879265092 |
| 2731 | 0.10334645669291 | 0.022965879265092 |
| 3134 | 0.11318897637795 | 0.024606299212598 |
| 3437 | 37.5 | 7.5 |
| 3740 | 0.13287401574803 | 0.026246719160105 |
| 4043 | 0.14271653543307 | 0.027887139107612 |
| 4346 | 0.15255905511811 | 0.027887139107612 |