

PPS SQ sends compressed air directly to workstations

with an ergonomic, compact and aesthetic design.





DESIGN A CUSTOMIZED WORKBENCH

WITH A WIDE RANGE OF ACCESSORIES

THE **ACCESSORIES**

Sliding carabiner
Part Number PPS SQSH8



CONNECTION OPTIONS FOR THE **PPS SQ**ALUMINUM FRAME


- Union fittings
- Tapping flanges
- Connection fittings

THE **BENEFITS** ①

- 100% aluminum
- Ergonomic
- Space saving
- Customizable
- Quality & safety
- Leak free guarantee
- Increase productivity & efficiency

THE CHARACTERISTICS

- Pressure: -14 to 232 psi
- Temperature : -4°F to 176°





SQUARE PROFILES


CUSTOMIZE YOUR WORKBENCH


Color: blue or gray

Length: 1 m or 2 m (3 ft or 6.5 ft)

Rectangular section size: 30 x 45 mm

Internal diameter: Ø 25 mm





THE ACCESSORIES



Mounting clamp with T-stud
Part Number
PPS SQCI25HN8




Mounting clamp Part Number PPS SQCI25

The strut profile of **PPS SQ** is compatible with existing profiles on the market and allows accessories (nuts, tools, etc.) to easily attach.

Install **PPS SQ** at drop points of a **P**REVOST **P**IPING **S**YSTEM network to deliver air directly to work areas.

- Individual workbenches
- Pneumatic control cabinets
- Factory assembly lines
- Production facilities













Prevost Corp. - 74 Brookfield Oaks Dr. Ste. 3 - Greenville, SC - USA Phone: (800) 845-7220 - sales.corp@prevostusa.com - www.prevostusa.com